





about us

Welcome to Sanish Laminate, where we specialize in creating architectural brilliance through our exquisite laminate designs. With a passion for innovation and attention to detail, we strive to deliver laminates that elevate spaces to new levels of beauty and sophistication. Our commitment to quality craftsmanship and cutting-edge technology ensures that our laminates not only enhance the aesthetic appeal but also provide durability and functionality. Discover the perfect fusion of art and design with our exceptional range of laminates.









INDEX





CHIFFON SILK page: 46-53



SNUG



WOODY FLUTE page: 18-27



GLOOMY page: 54-59



SAANA OAK page: 92-95



DIAMONDS page: 28-29



SPRUCE page: 64-67



AWFUL MATT page: 96-99



ALEXA page: 30-31,60-63



VENZA page: 68-73



ULTRA GLOSS page: 100-113



AWSOM MATT page: 32-33



VENEERED page: 74-77



SUEDE FINISH page: '114-119



SANISH FLUTE page: 34-39






SLICK LINES page: 40-45




ALLURE page: 82-85




DUNE 🏚










DUNE 🏚











10299 DN | Silk Concrete Dark



Sleek and modern look or a warm and rustic feel






10890 DN | Kriftone Dark

,





Natural accents of grace and glamour for an environment of exemplary beauty




10634 DN | Safe Teak Light

10635 DN | Safe Teak Brown








10824 FW | Iorn Wood



Phenomenal textures that give a sense of splendid beauty








10876 FW | Decaro

A multitude of designs that spread its aweinspiring appeal





10637 FW | Crimson Dark

10896 FW | Bark Pine






10557 FW | Tiago Brown


∮□


24




WOODY FLUTE 6


Exuberant and charming, choose up style designs








ALEXA 🙃






AWSOM MATT •










10376 FS | Oasis Brown














10005 FS | Ice White




























10892 SL | Bubinga



10886 SL | Soft Ash














Premium textures that exude a fervor of versatile vibe







10876 SC | Decaro








10822 SC | Cloud Ash Light

Subtle and so

Awesome surfaces that define elegance
























GLOOMY 🐽




10866 AG | Alexandrite











10034 AG | Thunder Bird

10096 AG | Griege

57
























10867 AX | Greetone Grey



Give way to a wonderful aesthetic ambiance of enamor







10866 AX | Alexandrite










Serene and calming ambiance that is simply awe-inspiring

10784 SP | Pecan





10792 SP | Caprico








iche designs are creat add flamboyance to de

10634 SP | Safe Teak Light



10635 SP | Safe Teak Brown












Discover laminated luxuries that elevate your spaces.





10898 VZ | Fraxinus Light



10899 VZ | Fraxinus Dark











Rejoice in the art of cajoling ethos, crafted by ethereal surfaces!








Where surface art, innovation, and imagination collide spectacularly!

10636 VR | Crimson Light

10637 VR | Crimson Dark

Unique surfaces that capture the spirit of bold, dynamic, and impeccable-looking dwellings!

10557 VR | Tiago Brown



10558 VR | Ressay Wood



KNOBBED 🏚
























10376 AL | Oasis Brown

Celebrate the chiseled curves, eye-catching patterns and rustic vibes!







10299 AL | Silk Concrete Dark







Laminates that help you create a legacy of unmatched charisma.





10832 SG | Pale



Exceptional allure that attracts grandeur & recreates majestic brilliance!



10868 SG | Greetone Brown

10869 SG | Spruce Wood






10330 AM | Beige Marble








Shificence around







10890 AM | Kriftone Dark

10889 AM | Kriftone Light

Let your imagination run wild as laminates breathe life

10875 AM | Softy Wood







10898 AM | Fraxinus Light

10899 AM | Fraxinus Dark




shades & shapes





Elevate your space with exquisite laminates that redefine elegance



10347 UG | Tobacco Brown



ULTRA GLOSS 🏚






Discover a world of endless possibilities with vibrant and dynamic laminates












10867 UG | Greetone Grey








10893 UG | Patagonian Cherry



10376 UG | Oasis Brown






Unleash your inner artist with laminates that turn surfaces into masterpieces



10841 UG | Misty Plank







10891 UG | Arizona Walnut










10868 UG | Greetone Brown

10869 UG | Spruce Wood










10823 SF | Cloud Ash Dark








10811 SF | California Walnut



10882 SF | Agar Wood



10809 SF | Cinnamon



10896 SF | Bark Pine

10832 SF | Pale

These coverings

are as dainty as they look!



10897 SF | Crimson Red



10891 SF | Arizona Walnut














10824 SF | Iron Wood

10880 SF | White Oak

10828 SF | Columbian Wood

10827 SF | North Walnut

Sr. No.	Design No.	Design Name	Finish	Pg. No.	Sr. No.	Design No.	Design Name	Finish	Pg. No.	Sr. No.	Design No.	Design Name	Finish	Pg. No.
1	10005	Ice White	DN	13	51	10330	Beige Marble	AK	81	101	10866	Alexandrite	AX	63
2	10005	Ice White	AM	33	52	10330	Beige Marble	AM	93		10866	Alexandrite	UG	107
3	10005	Ice White	FS	36	53	10330	Beige Marble	UG	102	103	10867	Greetone Grey	DN	10
4	10016	Beige Moon	DN	8	54	10344	French Brown	UG	105	104	10867	Greetone Grey	AX	61
5	10016	Beige Moon	AM	33	55	10347	Tobacco Brown	UG	103	105	10867	Greetone Grey	UG	106
6	10018	Castle Point	FW	27	56	10351	Fusion Marble	DN	9	106	10868	Greetone Brown	SG	90
7	10022	Sapphire Blue	FW	26	57	10351	Fusion Marble	FS	37	107	10868	Greetone Brown	UG	113
8	10024	Dense Blue	DN	12	58	10351	Fusion Marble	AK	80	108	10869	Spruce Wood	SG	91
9	10025	Versatile	FW	26	59	10351	Fusion Marble	AM	94	109	10869	Spruce Wood	UG	113
10	10026	Black Berry	AX	31	60	10351	Fusion Marble	UG	101	110	10875	Softy Wood	FW	20
11	10027	Oxford Blue	AX	30	61	10375	Calcatta White	AK	79	111	10875	Softy Wood	SC	46
12	10030	Deep Grey	DN	13	62	10375	Calcatta White	UG	104	112	10875	Softy Wood	AM	98
13	10030	Deep Grey	AM	32	63	10376	Oasis Brown	FS	35	113	10876	Decaro	FW	21
14	10031	Soft Grey	DN	13	64	10376	Oasis Brown	AL	83	114	10876	Decaro	SC	47
15	10031	Soft Grey	AX	31	65	10376	Oasis Brown	UG	109	115	10876	Decaro	AM	98
16	10031	Soft Grey	AG	58	66	10557	Tiago Brown	FW	25	116	10878	Balsa Wood	SG	89
17	10032	Wayward Grey	AX	31	67	10557	Tiago Brown	VR	76	117	10878	Balsa Wood	AM	95
18	10032	Wayward Grey	AG	58	68	10558	Ressay Wood	FW	24	118	10879	Basalt	AG	56
19	10033	Dense Grey	FS	36	69	10558	Ressay Wood	VR	77	119	10880	White Oak	SF	118
20	10034	Thunder Bird	AG	57	70	10634	Safe Teak Light	DN	16	120	10880	White Oak	VZ	69
21	10037	Space Grey	AM	32	71	10634	Safe Teak Light	SP	67	121	10882	Agar Wood	SF	116
22	10081	Celery Green	AX	31	72	10635	Safe teak Brown	DN	16	122	10882	Agar Wood	VZ	73
23	10081	Celery Green	AM	32	73	10635	Safe Teak Brown	SP	67	123	10884	African Teak	VZ	73
24	10085	Toffee Brown	FW	27	74	10636	Crimson Light	FW	22	124	10884	African Teak	SF	116
25	10088	Blush Blue	DN	12	75	10636	Crimson Light	VR	74	125	10886	Soft Ash	SL	43
26	10088	Blush Blue	AX	30	76	10637	Crimson Dark	FW	23	126	10886	Soft Ash	SG	87
27	10088	Blush Blue	AM	32	77	10637	Crimson Dark	VR	75	127	10886	Soft Ash	UG	110
28	10089	Sepia	DN	8	78	10784	Pecan	SP	66	128	10889	Kriftone Light	DN	14
29	10089	Sepia	AM	33	79	10792	Caprico	SP	66	129	10889	Kriftone Light	AM	97
30	10089	Sepia	FS	39	80	10809	Cinnamon	DN	17	130	10890	Kriftone Dark	DN	15
31	10090	Light Brown	AM	33	81	10809	Cinnamon	SL	44	131	10890	Kriftone Dark	AM	96
32	10090	Light Brown	FS	39	82	10809	Colifornia	SF	116	132	10891	Arizona Walnut	SC	51
33	10094	Bold Green	AX	31	83	10811	California Walnut	UG	111	133	10891	Arizona Walnut	UG	112
	10094	Bold Green	AM	32	84		California Walnut	SF	116		10891	Arizona Walnut	SF	117
35	10096	Griege	DN	13	85	10813	Elon Oak	VZ	72	135	10892	Bubinga	SL	42
36	10096	Griege	AM	33	86	10822	Cloud Ash Light	SC	48	136	10892	Bubinga Betaganian Charm	UG	110
37	10096	Griege	AG	57	87	10822	Cloud Ash Light	SF	115	137	10893	Patagonian Cherry	UG	108
38	10141	Soft White	DD	28	88	10822	Cloud Ash Dark	SP	65	138	10896	Bark Pine	FW	24
39	10143	Champagne	DD	29	89	10823	Cloud Ash Dark	SC	49	139	10896	Bark Pine	SL	45
40	10144	Kiosk Grey	DD	29	90	10823	Cloud Ash Dark	SF	115	140	10896	Bark Pine	SC	53
41	10145	Pastel Orange	DD	29	91	10824	Iron Wood	FW	19	141	10896	Bark Pine	SF	117
42	10148	Nutmeg Evanisite Bink	DD	29	92	10824	Iron Wood	SL	44	142	10897	Crimson Red	SL	45
43	10149	Exquisite Pink	DD	28	93	10824	Iron Wood	SF	118	143	10897	Crimson Red	SC	52
44	10297	Cementique	DN	7	94	10827	North Walnut	SF	119	144	10897	Crimson Red	SF	117
45	10297	Cementique	AL	82	95	10828	Columbian Wood	SF	119	145	10898	Fraxinus Light	SL	41
46	10298	Silk Concrete Light		84	96	10832	Pale	SG	88	146	10898	Fraxinus Light	VZ	70
47	10299	Silk Concrete Dark	DN	11	97	10832	Pale	SF	117	147	10898	Fraxinus Light	AM	99

Misty Plank

Antico

UG 111 148 10899

AG 59 149 10899

Alexandrite AG 55 150 10899 Fraxinus Dark AM 99

Fraxinus Dark

Fraxinus Dark

11 10027 12 10030 13 10030 14 10031 15 10031 16 10031 17 10032

48 10299 Silk Concrete Dark AX 62 98 10841

50 10330 Beige Marble FS 38 100 10866

49 10299 Silk Concrete Dark AL 85 99 10854

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995	SANISH VERIFIED
Thickness	1.0 mm (±10%)	✓
Resistance to surface	350 (revolution)	✓
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase	10.0 Max 11.8 Max	\
Resistance to dry heat 180 degrees C	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal (%) - Transverse (%)	0.5 Max. 0.9 Max.	*
Dimensional stability at 20 degrees C - Longitudinal (%) - Transverse (%)	0.375 Max. 0.60 Max.	*
Resistance to impact by small diameter ball	20N Min.	✓
Resistance to cracking	Not worse than 4	✓
Resistance to scratching	2N Min.	✓
Resistance to staining	Not worse than 5	✓
Resistance to colour change (wool standards) - In Xenon arc light - In enclosed Carbon arc light	Not worse than 6 Not worse than 5	*
Resistance to cigarette burns	Not worse than 3	✓
Resistance to steam	Not worse than 4	√
Appearance	Should be free from foreign particles	√

*All tests may not be valid for embossed & metallic laminates





2440mm x 1220mm (8'x4')

Product conformity to: British European Standard - BS EN 438, American Nema ID-3, BIS (Bureau of Indian Standard) is 2046.

SANISH warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviations, to related manufacturing specification. This warranty shall be limited only to the original buyer for a period of one (1) year from the date of dispatch by SANISH. It excludes damage resulting from accidents, abuse or lack of care, improper use and/ or any alternation. It is recommended that the product must be inspected prior to installation and our liability will be limited to the extent of the cost of the product only. SANISH Laminates are used for various applications, without the possibility of control over the manufacturing of the finished product. The company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or entity.

Care & Maintenance: Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergents containing

Samples presented are indicative of colour, pattern and surface finish but not actual thickness. For actual thickness of product, please check the sample attached above or check our actual products with our distributors/

shades & shapes



SAPPHIRE WOODS (INDIA) LLP

Regd. Office: 203 Aggarwal Chamber, Sainik Vihar, Pitam Pura, Delhi-110034.

www.sanishlaminate.com